



Ahsay Cloud Backup Suite v7

User's Guide

Ahsay Systems Corporation Limited

20 September 2018

Copyright Notice

© 2018 Ahsay Systems Corporation Limited. All rights reserved.

The use and copying of this product is subject to a license agreement. Any other use is prohibited. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without prior written consent of Ahsay Systems Corporation Limited. Information in this manual is subject to change without notice and does not represent a commitment on the part of the vendor, Ahsay Systems Corporation Limited does not warrant that this document is error free. If you find any errors in this document, please report to Ahsay Systems Corporation Limited in writing.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

Trademarks

Ahsay, Ahsay Cloud Backup Suite, Ahsay Online Backup Suite, Ahsay Offsite Backup Server, Ahsay Online Backup Manager, Ahsay A-Click Backup, Ahsay Replication Server, Ahsay BackupBox Firmware, Ahsay Universal Backup System, Ahsay NAS Client Utility are trademarks of Ahsay Systems Corporation Limited.

Amazon S3 is registered trademark of Amazon Web Services, Inc. or its affiliates.

Apple and Mac OS X are registered trademarks of Apple Computer, Inc.

Dropbox is registered trademark of Dropbox Inc.

Google Cloud Storage and Google Drive are registered trademarks of Google Inc.

Lotus, Domino, Notes are registered trademark of IBM Corporation.

Microsoft, Windows, Microsoft Exchange Server, Microsoft SQL Server, Microsoft Hyper-V, Microsoft Azure, One Drive and One Drive for Business are registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Oracle, Oracle 10g, Oracle 11g and MySQL are registered trademarks of Oracle Corporation.

Rackspace and OpenStack are registered trademarks of Rackspace US, Inc.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo and JBoss are registered trademarks of Red Hat, Inc. www.redhat.com in the U.S. and other countries. Linux is a registered trademark of Linus Torvalds.

ShadowProtect is registered trademark of StorageCraft Technology Corporation.

VMware, ESX, ESXi, vCenter are registered trademarks of VMware, Inc.

All other product names are registered trademarks of their respective owners.

Disclaimer

Ahsay Systems Corporation Limited will not have or accept any liability, obligation or responsibility whatsoever for any loss, destruction or damage (including without limitation consequential loss, destruction or damage) however arising from or in respect of any use or misuse of reliance on this document. By reading and following the instructions in this document, you agree to accept unconditionally the terms of this Disclaimer and as they may be revised and/or amended from time to time by Ahsay Systems Corporation Limited without prior notice to you.

Revision History

Date	Descriptions	Type of modification
27 September 2016	First Draft	New
27 January 2017	Overall format and style change; Added links in Add-on module table; Added details for Automated Encryption Key Recovery info in User Profile section	Modification
5 Apr 2017	Modified screen shot in Creating Backup Set (Generic Steps) section	Modification
18 August 2017	Modified screen shot in Downloading Software; Added language of Portuguese (Brazil), Slovenian, Polish, Finnish, Italian, Arabic and Czech; Modified detailed operation in Managing AhsayCBS Backup User; Modified definition of Home Directory, Quota, Per Destination and modified screen shot in User Profile; Modified Add-on Modules; Added Restore report part; Added Summary Tab in Statistics; Added monitoring list for different types of backup and restore jobs in Live Activities; Added Manage Backup Set in Managing Backup Set; Modified Run Direct Restore Options; Added steps in Appendix A for Google Drive authority	New/ Modification
11 October 2017	Added offline installation for Ch.1.6; Modified screen shot for Ch.1.6	New/ Modification
11 June 2018	Updated screen shot for Ch.2.3, 4.1; Updated quota management for Ch.2.3; Updated description for Trial User for Ch.2.3	Modification
16 August 2018	Updated screen shot for Ch. 1.6, 1.8, 2.3, 4 and Appendix; Added link for ShadowProtect System; Added QNAP NAS in Monitoring Live Activities	New/ Modification

Table of Contents

1	Overview	1
	Introduction	1
	About This Document.....	2
	Requirements for Using the AhsayCBS User Web Console	2
	Logging on to AhsayCBS User Web Console.....	3
	Resetting Your Password.....	4
	Downloading Software	6
	Changing the Language.....	8
	Invoking Online Help	9
2	Managing Your AhsayCBS User Account	10
	Login to AhsayCBS	10
	Managing AhsayCBS Backup User.....	10
	User Profile	11
	Settings.....	20
	Reports	22
	Backup Reports	22
	Restore Reports	24
	Statistics	27
	Effective Policy.....	31
3	Monitoring Live Activities	35
	Managing Live Activities.....	35
	Backup Status.....	35
	Restore Status	38
4	Managing Backup Set.....	40
	Create Backup Set (Generic Steps)	40
	Manage Backup Set.....	47
	Run a Backup Job.....	48
	Restore a Backup (Non Run Direct Restore).....	51
5	Run Direct Restore	55
	Introduction	55
	Run Direct Restore Options	57
	Performing a Run Direct Restore on VM	59
6	Contacting Ahsay	65
	Technical Assistance	65
	Documentation	65

Appendix..... 66

Appendix A Set Backup Destination on AhsayOBM for Backup Sets Created on AhsayCBS User Web Console	66
---	----

1 Overview

Introduction

What is this software?

Ahsay Cloud Backup Suite v7 allows you to back up your data on the cloud. You can access the AhsayCBS server environment easily on a user web console. This is a user interface that allows you to login remotely to a backup server.

The **User** option in the main interface allows the AhsayCBS user to update user profile and manage other settings such as reports.

The **VM Run Direct** option allows the AhsayCBS user to restore a VM by running it directly from the backup files in the AhsayCBS. This is much faster than extracting from backup files and copying to the production storage, which can take hours to complete. This feature helps reduce disruption and downtime of your production VMs. Administrator can troubleshoot on the failed virtual machine, while users are back in production with minimal disruption.

The **Live Activities** option is a monitoring tool which allows you to view the backup jobs and restore jobs as they are running as well as to view all jobs that were run within the previous 1 hour.



About This Document

What is the purpose of this document?

This document aims at providing all necessary information for you to work with the AhsayCBS server at the user level to manage backup and restore jobs.

What should I expect from this document?

After reading through this documentation, you can expect to have sufficient knowledge to perform various tasks on the AhsayCBS server. These include modifying user profile settings, monitoring the backup and restore processes real time, and running the AhsayCBS from a virtual machine directly.

Who should read this document?

This documentation is intended for IT professionals who need to work with AhsayCBS server at the user level.

Requirements for Using the AhsayCBS User Web Console

In order to use the AhsayCBS user web console, you need the following:

• Internet connection

You need to have internet connection to access the AhsayCBS user web console.

• Web browsers

The AhsayCBS user web console runs with all major browsers such as Google Chrome, Microsoft Internet Explorer, Mozilla Firefox, and Apple Safari. Please make sure that you are using the latest version of the browser.

NOTE

You can also monitor live backup and restore activities on AhsayCBS user web console of your mobile device. For more information, refer to the **Ahsay Mobile User Guide**.

• AhsayCBS login account

You need an AhsayCBS login account to access the AhsayCBS server component.


NOTE

Please contact your Ahsay backup service provider to create an AhsayCBS login account for you.


Logging on to AhsayCBS User Web Console

1. Enter the IP address provided by your backup service provider.
`https://<IP_AhsayCBS_Server>:60443/`


2. Enter your user account **Login Name** and **Password**.

A dark-themed login form with the following elements: a 'Login Name' label above a text input field, a 'Password' label above a text input field, a 'Forgot Password' link, and a checkbox labeled 'Remember my login name'.


3. If you want the system to remember your login name for the next time, check **Remember my login name**.

A dark-themed checkbox with the label 'Remember my login name'.

4. Click the green **Login** button in the middle to login.




5. The following screen appears with 3 options: **User**, **Live Activities**, and **Run Direct**. The **User** and **Run Direct** options are used for backup and restore, while the **Live Activities option** is used for monitoring.




Resetting Your Password

If you have forgotten your password, you can perform the following steps to reset your password.


1. On the AhsayCBS Login page, click **Forgot Password**.


The image shows the AhsayCBS login interface. It has a dark grey background. At the top, there's a 'Login Name' label above a white text input field. Below that is a 'Password' label above another white text input field. Under the password field, there is a red rectangular button labeled 'Forgot Password'. At the bottom, there is a checkbox labeled 'Remember my login name'.

2. The following screen appears. Enter either your **Login Name** or your **Email** to reset the password. Click **Send Request**.

The image shows the 'Forgot Password' screen. It has a dark grey background. At the top, the title 'Forgot Password' is displayed in white. Below the title, there is a 'Login Name' label above a white text input field. Underneath, the text 'OR' is shown. Below that is an 'Email' label above another white text input field. At the bottom, there are two buttons: 'Send Request' and 'Cancel'.

3. You will receive an email containing a link. Click on the link to reset your password.



4. The Reset Password screen appears. Enter the new **Password** and then **Re-type Password**. Click  to save the modification.

Reset Password

Reset your password

Reset Password

Password

Re-type password

5. You will get the following screen confirming that your password has been changed.

Reset Password

Reset your password


Reset Password

Your password has been changed.


Downloading Software

You can choose what client software you wish to download as follows:

1. On the AhsayCBS Logon page, click the downward arrow on the top right hand corner.



2. The software download page appears. You can choose which product and which platform to download.



From v7.15.0.0 onwards AhsayCBS support two installation modes, online and offline installation (except for Linux (rpm), Ubuntu (deb), Synology NAS and QNAP which supports online installation only). User can download and run either one of the installers.

Below is the table of comparison between online installation and offline installation.

	Online Installation	Offline Installation
Internet	<ul style="list-style-type: none"> ➤ It cannot be started without an internet connection. ➤ Clients need to have an internet connection each time an installation is run. ➤ If the client internet connection is interrupted or is not stable the installation may be unsuccessful. ➤ Online installer size is 6KB to 3.5MB depending on operating system as it contains only the initial installation package files. 	<ul style="list-style-type: none"> ➤ Once the offline installer is downloaded, the client does not require an internet connection each time an installation is run. ➤ The offline installer size is 80MB to 140MB depending on operating system as it contains all the necessary binary and component files
Backup Server Availability	The online installer requires the backup server to be online in order to run and complete the installation.	An offline installation can be performed independently of the backup server availability.
Installation Time	<ul style="list-style-type: none"> ➤ Takes more time as it needs to download the binary and component files (80MB to 140MB depending on operating system) each time the installation is run. ➤ A slow internet connection on the client machine will also result in longer installation time. 	Takes less time as all the necessary binary and component files are already available in the offline installer.
Version Control	Online installation ensures the latest version of the product is installed.	May need to update the product version after installation if an older offline installer is used.
Administrative Support	Need more time on the support for the installation as network factor might lead to unsuccessful installation.	Need less time as independent of network factor influence.
Deployments	<ul style="list-style-type: none"> ➤ Suitable for single or small amount of device installations. ➤ Suitable for client sites with fast and stable internet connection. 	<ul style="list-style-type: none"> ➤ Suitable for multiple or mass device installations. ➤ Suitable for client sites with metered internet connections.

3. Download the executable and install the product in the usual way.

Changing the Language

You can change the language of AhsayCBS anytime, whether before or after you have logon to the system.


NOTE

If the language you want is not available, please contact your backup service provider for assistance.


The available languages are:

- | | | |
|-----------------------|-----------|-----------------------|
| English (default) | German | French |
| Japanese | Korean | Chinese (Simplified) |
| Chinese (Traditional) | Catalan | Danish |
| Greek Modern | Spanish | Basque |
| Hebrew | Hungarian | Lithuanian |
| Dutch | Norwegian | Portuguese (Portugal) |
| Swedish | Turkish | Portuguese (Brazil) |
| Slovenian | Polish | Italian |
| Finnish | Arabic | Czech |

1. On the AhsayCBS Logon page, click the downward arrow on the upper right hand side.




2. A list of available language is displayed for your choice.



Invoking Online Help

You can invoke online help if you have problems logging in to the AhsayCBS server.

1. On the AhsayCBS Logon page, click the question mark at the bottom right corner.



2. The online help for the topic "Logon" appears.



It contains detailed description of each field on the logon screen and gives a brief description of each field.

Logon

To comply with the new General Data Protection Regulation (GDPR) requirements, there will display a banner stating the organizations cookie policy when processing to login AhsayCBS server and web console. From AhsayCBS version 7.15.6.0 onwards, administrator can configure a notification banner to be displayed on the AhsayCBS web console (displayed at the login interface), and the HTML codes can be used for content of the banner.

Key:

Field	Description
Login Name	System user login name.
Password	System user login password.
Forgot Password	In case the password is forgot. Click on this link and enter your login name or registered email. The password will be sent to your email address.
Remember my login name	If this entry is checked, the login name will be appeared in the "Login Name" field. Uncheck this box to remove the saved login name in the browser.



3. You can print the online help by clicking  at the bottom right corner. To exit, click **X**.


2 Managing Your AhsayCBS User Account

Login to AhsayCBS

Login to the AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).

Managing AhsayCBS Backup User

To manage your AhsayCBS backup user account, simply click the **User** icon from your AhsayCBS environment.



You can perform the following operations on your own user account:

- Manage your user profile settings, e.g. New Password, Language, Timezone, Contact Information
- Customize event log settings, which is supported on AhsayOBM/ AhsayACB clients installed on Windows platform only
- View backup or restore reports for different time periods
- View usage statistics by selecting destination, backup set, and period
- View details of policies and settings on users, backup sets, GUIs, default values, preempted values, preempted backup sets, and mobile. The settings and the availability of this feature is dependent on your backup service provider.

User Profile

User Profile tab contains your user backup account settings information, subscribed modules backup quota, subscription type, contact information, and user group information.

Among all the above information, you can modify user backup account settings information and contact information. However, for the subscribed modules backup quota, subscription type and user group information, as the setting was done when the user account was created, the settings cannot be modified by the user.

There are 4 tabs under **User Profile**, each of which is described below.

General Tab

The following shows the General tab under the User Profile settings page.

The screenshot shows the 'User Profile' settings page with the 'General' tab selected. The left sidebar contains links: Backup Set, Settings, Report, Statistics, and Effective Policy. The main content area is titled 'General information of this user.' and contains several sections: 'Basic' with fields for ID (1525855752356), Login Name (123), Password (pmWkWSBCL51Bfkh79xPuKBKHz//H6B+mY6G9/eieuV), and Alias; 'Home Directory' with a text field showing C:\Program Files\AhsayCBS\user\123; 'Subscription Type' with radio buttons for Trial User (selected) and Paid User; 'Suspend At' with a checkbox and a date field (08-Jun-2018); and 'Status' with radio buttons for Enable (selected), Suspended, and Locked. At the bottom right of the form are 'X' and '?' icons.

There are several groups of settings under the **General** tab, and they are described below.

Section	Description
Basic	There are 5 elements in the Basic section, which are the following: <ul style="list-style-type: none">• ID of the backup user, this is system generated and cannot be changed.

	<ul style="list-style-type: none"> • Login Name of the backup user, defined by the service provider which cannot be changed. • Password in hashed format defined by the service provider which cannot be changed. • Reset Password allows the backup user to change the password. • Alias is another name for the backup user which can be modified.
Home Directory	<p>This is the path where your backup data is stored on AhsayCBS backup destination.</p> <p>This was set when your account was created and cannot be modified by the user.</p>
Subscription Type	<p>There are 2 subscription types: Trial User and Paid User. Trial users are subject to automatic removal after the trial period. Paid users do not have such restrictions.</p> <p>This was set when your account was created and cannot be modified by the user. If you need to change it, please contact your backup service provider.</p>
Suspend At	<p>This shows the date when the user account is scheduled to be suspended.</p> <p>This was set when your account was created and cannot be modified by the user. If you need to update it, please contact your backup service provider.</p>
Status	<p>There are 3 user account status: Enable, Suspended, and Locked. The Locked status refers to account lockout rules. For example, when the user has 3 consecutive unsuccessful login attempts, the user account will be locked.</p> <p>This was set when your account was created and cannot be modified by the user. If you need to change it, please contact your backup service provider.</p>
Upload Encryption Key	<p>To enable or disable this feature please contact your backup service provider for support. The encryption key file will be uploaded to the backup server when a backup runs.</p> <p>If you forget the encryption key, please contact your backup service provider for support.</p>
Language	Select your preferred language for all email reports.
Timezone	Select the time zone of the backup user.
Notes	A field for the AhsayCBS user to add notes.

Backup Client Settings Tab

The following shows the first half of the **Backup Client Settings** tab under the **User Profile** settings page.

User Profile

General

Backup Client Settings

Contact

User Group

Backup Set

Settings

Report

Statistics






Effective Policy






Settings of the client backup agent for this user.






Backup Client






☒ AhsayOBM User
 ☐ AhsayACB User

Add-on Modules

☒  Microsoft Exchange Server
 ☒  MySQL Database Server
 ☒  Lotus Domino
 ☒  Windows System Backup
 ☒  VMware



☒  Microsoft Exchange Mailbox
☒  Continuous Data Protection
 ☒  Mobile
☒  Volume Shadow Copy
 ☒  OpenDirect / Granular Restore


☒  Microsoft SQL Server
 ☒  Oracle Database Server
 ☒  Lotus Notes
 ☒  Windows System State Backup
 ☒  Hyper-V

☒  ShadowProtect System Backup
 ☒  NAS - Synology
 ☐  NAS - QNAP
 ☒  In-File Delta
 ☒  Office 365 Exchange Online Backup

Quota

Unlimit storage space for the destination not shown in the following table

☒  

<input type="checkbox"/>	Destination	Quota
<input checked="" type="checkbox"/>	 AhsayCBS	<input type="text" value="100.0"/> <input type="text" value="Mbytes"/>

(If preempted mode is enabled in policy settings, the quota settings are disabled)

The following shows the second half of the **Backup Client Settings** tab under the **User Profile** settings page.

Client host limit

☐ Maximum number of host

Run Direct

☐ Maximum number of VM

There are several groups of settings under the **Backup Client Settings** tab, and they are described below.

Section	Description
Backup Client	There are 2 types of backup user accounts: AhsayOBM and AhsayACB . This was set when your account was created and cannot be modified by the user. If you need to change it, please contact your backup service provider.
Add-on Modules	The backup client comes with add-on modules. These add-on modules were set when the user account was created and cannot be modified by the user. If you need to change the add-on modules, please contact your backup service provider.
Quota	List all the predefined and standard destinations associated with the user account and the backup quota of predefined destination for the user account can be set. Please refer to AhsayCBS v7 Administrator's Guide for more details about quota management. The quota of standard destination was set when your account was created and cannot be modified by the user. If you need to change it, please contact your backup service provider.
Client Host Limit	This is for your backup service provider to set the maximum number of host machine for your backup user account. This field cannot be changed by the user. If you need to update this field, please contact your backup service provider.
Run Direct	This allows the user to select the maximum number of VMs to be restored by running them directly from the backup files on the AhsayCBS. This field cannot be changed by the user. If you need to update this field, please contact your backup service provider.

Add-on Modules

The following table shows all the add-on modules available under the **Backup Client Settings** tab. The backup of these add-on modules are supported by the AhsayOBM client. For some of the add-on modules, their backup are also supported by the AhsayACB client.

NOTE

The **File** and **Cloud File Backup** types are available by default for both AhsayACB and AhsayOBM. As a result, they do not need to be added and are not included in the Add-on Modules section of the **Backup Client Settings** tab.

The following table shows the name of the add-on modules, what it is used for, whether it is available in AhsayOBM client or AhsayACB client, and reference materials you can refer to for more information.

Add-on Module	Reference	AhsayOBM	AhsayACB
Microsoft Exchange Server	Backup and restore of Microsoft Exchange Server. Refer to the following link for how to use Microsoft Exchange Database Server with AhsayOBM client: Ahsay Online Backup Manager v7 Microsoft Exchange Database Backup and Restore Guide	✓	X
Microsoft SQL Server	Backup and restore of Microsoft SQL Server. Refer to the following link for how to use Microsoft SQL Server with AhsayOBM client: Ahsay Online Backup Manager v7 Microsoft SQL Server Backup and Restore Guide	✓	X
MySQL Database Server	Backup and restore of MySQL Database Server. Refer to the following link for how to use MySQL Database for the Windows platform with AhsayOBM client: Ahsay Online Backup Manager v7 MySQL Database Backup and Restore for Windows Refer to the following link for how to use MySQL Database for the Linux platform with AhsayOBM client: Ahsay Online Backup Manager v7 MySQL Database Backup and Restore for Linux (CLI)	✓	X
Oracle Database Server	Backup and restore of Oracle Database Server on Windows and Linux platforms.	✓	X
Lotus Domino	Backup and restore of Lotus Domino.	✓	X
Lotus Notes	Backup and restore of Lotus Notes.	✓	✓
Windows System Backup	Backup and restore of Windows System Backup. Refer to the following link for how to use Windows System Backup with AhsayOBM and AhsayACB clients: Ahsay Online Backup Manager v7 Microsoft System Backup and Restore Guide	✓	✓
Windows System State Backup	Backup and restore of Windows System State Backup. Refer to the following link for how to use Windows System State Backup with AhsayOBM client: Ahsay Online Backup Manager v7 Microsoft System State Backup and Restore Guide	✓	X
VMware	Backup and restore of VMware guest virtual machines. Refer to the following link for how to use VMware VCenter/ESXi with AhsayOBM client: Ahsay Online Backup Manager v7 VMware vCenter/ESXi Backup and Restore Guide	✓	X
Hyper-V	Backup and restore of Hyper-V guest virtual machines. Refer to the following link for how to use Microsoft Hyper-V with AhsayOBM client:	✓	X

	Ahsay Online Backup Manager v7 Microsoft Hyper-V Backup and Restore Guide		
Microsoft Exchange Mailbox	<p>Backup and restore of Microsoft Exchange Mailbox.</p> <p>Refer to the following link for how to use Microsoft Exchange 2007/ 2010/ 2013 Mailbox with AhsayOBM client:</p> <p>Ahsay Online Backup Manager v7 Microsoft Exchange Mail-Level Backup & Restore Guide</p> <p>Refer to the following link for how to use Microsoft Exchange 2016 Mailbox with AhsayOBM client:</p> <p>Ahsay Online Backup Manager v7 Microsoft Exchange 2016 Mail Level Backup & Restore Guide</p>	✓	X
Shadow Protect System Backup	<p>Backup and restore of Shadow Protect System image (requires Shadow Protect).</p> <p>Refer to the following link for how to use the ShadowProtect System Backup with AhsayOBM client:</p> <p>Ahsay Online Backup Manager v7 StorageCraft ShadowProtect System Backup & Restore Guide</p>	✓	X
Continuous Data Protection	A backup will be made whenever there is a change (between 1 min to 12 hour intervals) for Windows platform.	✓	✓
NAS - Synology	<p>Backup and restore of file on Synology NAS devices.</p> <p>Refer to the following link for how to use the Synology NAS with AhsayOBM client:</p> <p>Ahsay Online Backup Manager v7 Quick Start Guide for Synology NAS</p> <p>Refer to the following link for a list of Synology hardware compatible with AhsayOBM:</p> <p>FAQ: Ahsay Hardware Compatibility List (HRL) for AhsayOBM on Synology NAS (5058)</p>	✓	X
Mobile	<p>Backup and restore of Mobile data (iOS and Android).</p> <p>Refer to the following links for instructions on using the AhsayMOB for Android and iOS platforms.</p> <p>AhsayMOB v7 User Guide – iOS</p> <p>AhsayMOB v7 User Guide – Android</p>	✓	✓
NAS - QNAP	<p>Backup and restore of file on QNAP NAS devices.</p> <p>Refer to the following link for a list of QNAP hardware compatible with AhsayOBM:</p> <p>FAQ: Ahsay Hardware Compatibility List (HRL) for AhsayOBM on QNAP NAS (5058)</p>	✓	X
Volume Shadow Copy	Volume Shadow Copy to support open file backups on Windows platform.	✓	✓
In-File Delta	When enabled only the changes since the last backup job is backed up.	✓	✓
OpenDirect / Granular Restore	<p>For OpenDirect and Granular Restore.</p> <p>Refer to the following link for instructions on using OpenDirect / Granular Restore.</p>	✓	X

	AhsayACB v7 Quick Start Guide for Windows Ahsay Online Backup Manager v7 Quick Start Guide for Windows Ahsay Online Backup Manager v7 Microsoft Hyper-V Backup and Restore Guide Ahsay Online Backup Manager v7 VMware vCenter/ESXi Backup and Restore Guide		
Office 365 Exchange Online Backup	Backup and restore user's mailboxes on Office 365 Exchange mailboxes. Refer to the following links for how to use Office 365 Exchange Online with AhsayOBM: AhsayOBM v7 User Guide - Office365 Exchange Online Backup & Restore for Windows AhsayOBM v7 User Guide - Office365 Exchange Online Backup & Restore for Mac	✓	✗

Contact Tab



You can add your contact information here to receive backup or restore reports. You can also delete your contact information here. The following shows the **Contact** tab under the **User Profile** settings page.

User Profile											
	General	Backup Client Settings	Contact								
Backup Set	Contact information for this user.										
Settings	<div>Manage Contact Information ?</div> <div> <div>+</div> <div>🗑️</div> </div> <table border="1"> <thead> <tr> <th><input type="checkbox"/></th> <th>Name</th> <th>Email</th> <th>Encrypt Email</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td>OBM Test Brenda</td> <td>username@email.com</td> <td>No</td> </tr> </tbody> </table>			<input type="checkbox"/>	Name	Email	Encrypt Email	<input type="checkbox"/>	OBM Test Brenda	username@email.com	No
<input type="checkbox"/>	Name	Email	Encrypt Email								
<input type="checkbox"/>	OBM Test Brenda	username@email.com	No								
Report											
Statistics											
Effective Policy											

- To add your contact information, click in the middle of the screen. Enter your **Name**, **Email**, **Address**, **Company**, **Website**, **Phone1**, **Phone2**, then click at the bottom right

corner of the screen. A new contact is added.

Name	<input type="text" value="User Name"/>
Email	<input type="text" value="username@email.com"/>
<input type="checkbox"/> Encrypt Email	
Address	<input type="text" value="1/F, Business Plaza, Central, HK"/>
Company	<input type="text" value="Company Name"/>
Website	<input type="text"/>
Phone 1	<input type="text"/>
Phone 2	<input type="text"/>

- To delete a contact information, check the box next to the contact information you want to delete, then click  in the middle of the screen. Click OK to delete the contact when prompted. The selected contact is deleted. Click  to save your changes.


A screenshot of a confirmation dialog box. The dialog box is white with a thin gray border. It contains the text "Are you sure that you want to delete selected rows ?" in a black, sans-serif font. Below the text are two buttons: "OK" and "Cancel", both with blue borders and light gray backgrounds. The dialog box is overlaid on a blurred background that appears to be a web application interface with a table and a header.

User Group Tab

The following shows the **User Group** tab under the **User Profile** settings page. It shows the user group your user account belongs to. This is set when your account was created and cannot be modified.

User Profile	General	Backup Client Settings	Contact	User Group
Backup Set	Below is the list of user group this user was assigned to.			
Settings				
Report				
Statistics				
Effective Policy				
	Manage User Group			
	Name			
	All Users			

NOTE

Please remember to click  after modification to save the changes. Otherwise the modification will be lost after quitting the setting page.

Settings

The **Settings** page allows the user to log the optional events, besides AhsayOBM/ AhsayACB logs, to the Windows event log.

NOTE

This feature is supported on AhsayOBM/AhsayACB clients installed on Windows platform only.

Windows event log


The following shows the options on the **Settings** page.

The screenshot shows the 'Settings' page with a sidebar on the left containing links: User Profile, Backup Set, Settings (highlighted), Report, Statistics, and Effective Policy. The main content area is titled 'Windows Event Log' and contains two sections: 'Log type' and 'Log option'. The 'Log type' section has three checkboxes: Error, Warning, and Info, all of which are checked. The 'Log option' section has two columns of checkboxes. The first column contains Profile, Backup, Restore, and Service (CDP & Scheduler), all checked. The second column contains Software Update, Report, Utilities, and Login / Logout, all checked.

There are two groups of settings under the **Settings** tab, and they are described below.

Setting	Description
Log Type	There are 3 log types available: Error , Warning and Info . You can select any combinations of the 3 log types, and the messages will be logged in the Windows event log.
Log Option	Select the log option by which the particular action will be captured in the Windows event log. Currently there are 8 different log options that can be selected: Profile , Backup , Restore , Service (CDP & Scheduler) , Software Update , Report , Utilities , and Login/Logout .

The events are logged in the Windows event log and can be viewed from the Windows Event Viewer:



Reports

The **Report** tab allows you to check the **Backup** and **Restore** report of both backup and restore jobs proceeded in agent-based (AhsayOBM/ AhsayACB/ AhsayOBR/ AhsayMOB) and agentless (AhsayCBS User Web Console) type.

Backup Reports


1. A list of backup reports for this AhsayCBS user can be found on the **Backup** tab. Click on the desired report to get more details on the report.



The screenshot shows the 'Backup Report for This User' interface. On the left is a sidebar with navigation links: User Profile, Backup Set, Settings, Report (highlighted), Statistics, and Effective Policy. The main area has tabs for 'Backup' and 'Restore'. Below the tabs, there's a 'View' dropdown set to 'Today'. A table lists backup jobs with columns: Backup Set, Destination, Completion, and Status.

Backup Set	Destination	Completion	Status
Run Direct 2(1474851837323)	CBS	26-Sep-2016 09:11	OK
Office365 mail boxes primary(1473842890784)	CBS-1	26-Sep-2016 01:01	OK
(1474540526305)		25-Sep-2016 20:00	Missed Backup
(1474543279493)		25-Sep-2016 19:00	Missed Backup

2. Click the **Download report** button at the bottom to download the complete report in PDF format. The backup report will be available around 15 to 20 minutes after a backup job has finished.




The screenshot shows a detailed 'Backup Report' for the 'Office365 mail boxes primary(1473842890784)' backup set to 'CBS-1'. It lists various statistics for the job completed on 26-Sep-2016 at 01:00:00.

Field	Value
Backup Set	Office365 mail boxes primary(1473842890784)
Destination	CBS-1
Job	26-Sep-2016 01:00:00
Time	26-Sep-2016 01:00:01 - 26-Sep-2016 01:01:12
Status	OK
New Files*	0
New Directories	0
New Links	0
Updated files*	0
Attributes Changed Files*	42774 [16.56k / 4 (0%)]
Deleted Files*	0
Deleted Directories	0
Deleted Links	0
Moved Files*	0

* Unit = No of files [Total zipped size / Total unzipped size (compression ratio)]

[Download report](#)

3. A full version of the backup report appears. You can view the detailed backup set settings on this report.



Full Backup report

Backup Job Summary

User	brenda.lao1
Backup Set	backup-set-name-brenda (1471231718522)
Data Size	456.73M
RetentionSize	0
Backup Job	2016-08-15-11-32-30
Destination	CBS (AhsayCBS)
Job Status	OK
Start - End	2016-08-15 11:32:30 - 2016-08-15 11:38:41
IP Address	192.168.6.104
New Files *	15 (456.7M)
New Directories	7
New Links	0
Updated Files *	0 (0)
Attributes Changed Files *	0 (0)
Deleted Files *	0 (0)
Deleted Directories	0
Deleted Links	0
Moved Files *	0 (0)

* No. of files (size)

Backup Set Settings

Field	Value
Backup Source	[Documents][C:\Documents and Settings\brenda.lao1\My Documents]
Backup Schedule	[Computer Name: Brenda-Lao1][Daily Schedule: [Name: Daily-Brenda, Time: 13:0, Type: , Duration: -1, Run Retention Policy: true]][Weekly Schedule:][Monthly Schedule:][Custom Schedule:]
Continuous Data Protection	[Enabled: false]
In-File Delta	[Enabled: true, Default Type: I, Block Size: -1, Minimum delta file size = 26214400, Maximum number of delta = 100, Maximum delta ratio = 50, Wee

Restore Reports

1. A list of restore reports for this AhsayCBS user can be found on the **Restore** tab. Click on the desired report to get more details on the report.

User Profile

Backup Set

Settings

Report

Statistics

Effective Policy

Backup

Restore

Restore Report for This User

View

* This Week


Backup Set	Destination	Job	Status
 VMware ESXi v5.1 (GR-RD-Local Only)(1494410084599)	 Local-1	09-Aug-2017 11:11:01	OK
 RunDirect Hyper-V Testing for CBS User Guide(1502244814863)	 Local-1	09-Aug-2017 10:17:07	OK
 RunDirect VMware Testing for CBS User Guide(1502242661656)	 AhsayCBS	09-Aug-2017 09:47:30	OK

2. Click the **Download report** button at the bottom to download the complete report in PDF format. The restore report will be available around 15 to 20 minutes after a restore job has finished.

Restore Report	
Backup Set	RunDirect Hyper-V Testing for CBS User Guide(1502244814863)
Destination	Local-1
Job	09-Aug-2017 10:17:07
Time	09-Aug-2017 10:17:07 - 09-Aug-2017 10:17:33
Status	OK
Downloaded Files*	6 (217k)
* Unit = No of files (Download size)	
Download report	

3. A full version of the restore report appears. You can view the detailed backup set settings on this report.

i. Normal Restore



Full Restore Report

Restore Job Summary

User	Backup Set	Restore Job	Restore Destination	Job Status	IP Address	Restored Files *
gr1	RunDirect Hyper-V Testing for CBS User Guide (1502244814863)	2017-08-09-10-17-07	Local-I	OK	10.120.0.1	6 (217.7k)

* No. of files (size)


Restore Logs

No.	Type	Timestamp	Log
1	start	08/09/2017 10:17:07	Start [Windows Server 2016 (v16-hvel-cl02), AhsayOBM v7.13.0.2]
2	info	08/09/2017 10:17:07	Initializing decrypt action...
3	info	08/09/2017 10:17:07	Initializing decrypt action... Completed
4	info	08/09/2017 10:17:07	Restore virtual machine "Damn small linux-1"
5	info	08/09/2017 10:17:07	Download all configuration files [Damn small linux-1]
6	info	08/09/2017 10:17:14	Removing virtual machine ""Damn small linux-1"" from the inventory
7	info	08/09/2017 10:17:18	Creating new directory... "C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1"
8	info	08/09/2017 10:17:18	Restoring File Permission... C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1.VMRS
9	info	08/09/2017 10:17:18	Restoring File Permission... C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1.VMRS
10	info	08/09/2017 10:17:18	Restoring File Permission... C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1.VMRS
11	info	08/09/2017 10:17:19	Restoring File Permission... C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Virtual Machines\24BC3BB9-40A1-4B44-817F-7AE7F944ADBE.VMRS
12	info	08/09/2017 10:17:19	Restoring File Permission... C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Virtual Machines\24BC3BB9-40A1-4B44-817F-7AE7F944ADBE.VMRS
13	info	08/09/2017 10:17:19	Restore virtual machine "Damn small linux-1"... Completed
14	info	08/09/2017 10:17:25	Taking snapshot of virtual machine "Damn small linux-1"
15	info	08/09/2017 10:17:27	Start virtual machine "Damn small linux-1"

Restore Files

No.	File Name	Size	Last Modified	Downloaded Time	Time taken (min:sec)
1	C:\Users\Administrator\temp\components.xml	10k	08/09/2017 10:15	08/09/2017 10:17	0:0
2	C:\Users\Administrator\temp\writers.xml	4k	08/09/2017 10:15	08/09/2017 10:17	0:0
3	C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1.VMRS	44k	08/09/2017 10:14	08/09/2017 10:17	0:0
4	C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Snapshots\2016B202-06B7-472E-9668-00558A8FB4F1.VMRS	57k	08/09/2017 10:14	08/09/2017 10:17	0:0
5	C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Virtual Machines\24BC3BB9-40A1-4B44-817F-7AE7F944ADBE.VMRS	48k	07/25/2017 17:04	08/09/2017 10:17	0:0
6	C:\ProgramData\Microsoft\Windows\Hyper-V\Damn small linux-1\Virtual Machines\24BC3BB9-40A1-4B44-817F-7AE7F944ADBE.VMRS	54k	08/09/2017 10:14	08/09/2017 10:17	0:0

ii. Run Direct Restore without Auto Migration.



Full Restore Report

Restore Job Summary

User	Backup Set	Restore Job	Restore Destination	Job Status	IP Address	Restored Files *
gr1	VMware ESXi v5.1 (GB-R D-Local-CBS) (1496241683007)	2017-08-09-09-30-39	AhsayCBS	OK	10.120.10.12	0 (0)

* No. of files (size)

Restore Logs

No.	Type	Timestamp	Log
1	start	08/09/2017 09:30:40	Start
2	info	08/09/2017 09:30:40	"10.1.0.6" already exists.
3	info	08/09/2017 09:30:54	Preparing for Run Direct...
4	info	08/09/2017 09:30:55	Mount datastore "cbs-RunDirect (10.120.10.12:cbsRunDirect)"...
5	info	08/09/2017 09:30:55	Adding virtual machine "Windows 2003 Ent [10.1.0.208]" to the inventory...
6	info	08/09/2017 09:30:56	Taking snapshot " __snapshot_for_publish__ " of virtual machine "Windows 2003 Ent [10.1.0.208]"...
7	info	08/09/2017 09:31:04	Please do not Edit, Remove or Revert any existing snapshot before migration is completed.
8	info	08/09/2017 09:31:04	Restore Completed Successfully

Restore Files

No.	File Name	Size	Last Modified	Downloaded Time	Time taken (min:sec)
-----	-----------	------	---------------	-----------------	----------------------

iii. Run Direct with Auto Migration



Full Restore Report

Restore Job Summary

User	Backup Set	Restore Job	Restore Destination	Job Status	IP Address	Restored Files *
gr1	VMware ESXi v5.1 (GR-R D-Local-CBS) (14942416 83007)	2017-08-14-15-36-39	AhsayCBS	OK	10.16.10.92	0 (0)

* No. of files (size)

Restore Logs

No.	Type	Timestamp	Log
1	start	08/14/2017 15:36:40	Start [Windows Server 2012 (Work12-w12a), AhsayOBM v7.13.0.2]
2	info	08/14/2017 15:36:40	Initializing decrypt action...
3	info	08/14/2017 15:36:40	Initializing decrypt action... Completed
4	info	08/14/2017 15:36:41	VMware ESXi 5.1.0 build-1157734010.1.0.6.443551:22)
5	info	08/14/2017 15:37:02	Preparing for Run Direct.
6	info	08/14/2017 15:37:04	Mount datastore "chs-RunDirect (10.120.10.12:chsRunDirect)"...
7	info	08/14/2017 15:37:04	Adding virtual machine "New Virtual Machine" to the inventory...
8	info	08/14/2017 15:37:11	Taking snapshot "snapshot_for_publish..." of virtual machine "New Virtual Machine"...
9	info	08/14/2017 15:37:20	Powering on virtual machine "New Virtual Machine"...
10	info	08/14/2017 15:37:25	Please do not Edit, Remove or Revert any existing snapshot before migration is completed.
11	info	08/14/2017 15:37:28	Start manual migration...
12	info	08/14/2017 15:37:29	Loading information...
13	info	08/14/2017 15:37:33	Taking snapshot "snapshot_for_migrate..." of virtual machine "New Virtual Machine"...
14	info	08/14/2017 15:37:41	Migrating [datastore3_P00405] New Virtual Machine/Win2003-000001-delta.vmdk
15	info	08/14/2017 15:37:48	Migrating [datastore3_P00405] New Virtual Machine/Win2003-000001.vmdk
16	info	08/14/2017 15:38:05	Migrating [datastore3_P00405] New Virtual Machine/Win2003-flat.vmdk
17	info	08/14/2017 16:06:49	Migrating [datastore3_P00405] New Virtual Machine/Win2003.vmdk
18	info	08/14/2017 16:06:54	Suspending virtual machine "New Virtual Machine"...
19	info	08/14/2017 16:07:05	Loading information...
20	info	08/14/2017 16:07:10	Removing virtual machine "New Virtual Machine" from the inventory...
21	info	08/14/2017 16:07:10	Migrating [datastore3_P00405] New Virtual Machine/Win2003-avram
22	info	08/14/2017 16:07:11	Migrating [datastore3_P00405] New Virtual Machine/Win2003.vmsd
23	info	08/14/2017 16:07:17	Migrating [datastore3_P00405] New Virtual Machine/Win2003.vmx
24	info	08/14/2017 16:07:18	Migrating [datastore3_P00405] New Virtual Machine/Win2003.vmsx
25	info	08/14/2017 16:07:19	Migrating [datastore3_P00405] New Virtual Machine/Win2003-954687f.vmsx
26	info	08/14/2017 16:07:45	Migrating [datastore3_P00405] New Virtual Machine/Win2003-000002-delta.vmdk
27	info	08/14/2017 16:07:50	Migrating [datastore3_P00405] New Virtual Machine/Win2003-000002.vmdk
28	info	08/14/2017 16:07:57	Migrating [datastore3_P00405] New Virtual Machine/Win2003-Snapshot1.vman
29	info	08/14/2017 16:07:57	Migrating [datastore3_P00405] New Virtual Machine/Win2003-Snapshot2.vman
30	info	08/14/2017 16:07:58	Adding virtual machine "New Virtual Machine" to the inventory...
31	info	08/14/2017 16:07:59	Powering on virtual machine "New Virtual Machine"...
32	info	08/14/2017 16:08:04	Removing snapshot "snapshot_for_migrate..." from virtual machine "New Virtual Machine"...
33	info	08/14/2017 16:08:16	Removing snapshot "snapshot_for_publish..." from virtual machine "New Virtual Machine"...
34	info	08/14/2017 16:08:17	Unmount datastore "chs-RunDirect"...

Restore Files

No.	File Name	Size	Last Modified	Downloaded Time	Time taken (minutes)
-----	-----------	------	---------------	-----------------	----------------------

NOTE

OpenDirect restore of file backup sets or granular restore of files from VMware and Hyper-V backup sets performed using Windows File Explorer will not generate any restore reports on AhsayCBS. Restore reports are only available when the restore is performed directly through AhsayOBM /AhsayACB/ AhsayOBR or on agentless Office 365 mail and Cloud File backups.

Statistics

You can generate a graph of storage statistics for the user by modifying a few factors such as the backup destination, backup set and the period of the backup.

The statistics shows the storage capacity of different backup sets on different date.

Usage

The following options are configurable for generating statistics in your desirable view.

- **Select a destination** – select the backup destination of your choice
- **Select a backup set** – you can choose a specific backup set or all backup sets
- **Period** – select the period of time during which backups were performed

Usage **Summary**

Statistics for This User

Select a destination

AhsayCBS (--) ▼


Select a backup set

All backup sets ▼

Period









This Week ▼

Go



Summary

User Profile	Usage	Summary
Backup Set		
Settings		
Report		
Statistics		
Effective Policy		

Summary for This User					
* Unit: Compressed Size / Uncompressed Size [Ratio] [Total No. of Files]					
** Unit: Compressed Size [Total No. of Files]					
(^) Backup Set completely migrated from v6					
Backup Set	Destination	Data Area*	Retention Area*	Total Upload**	Total Restore**
 T1(1501661450981)	 AhsayCBS	0 / 0 [0%] [0]	0 / 0 [0%] [0]	0 [0]	0 [0]
 T1(1501661450981)	 GoogleDrive-001	0 / 0 [0%] [0]	0 / 0 [0%] [0]	0 [0]	0 [0]
 T2(1501827515142)	 AhsayCBS	315.46M / 4.37G [93%] [4094]	0 / 0 [0%] [0]	315.46M [4097]	629.03M [8186]
 T3(1501833159874)	 GoogleDrive-001	0 / 0 [0%] [0]	0 / 0 [0%] [0]	0 [18]	0 [0]

There are 4 columns showing the following information of each backup set.

Data Area

Data Area*
0 / 0 [0%] [0]
0 / 0 [0%] [0]
315.46M / 4.37G [93%] [4094]
0 / 0 [0%] [0]

Format:

[Compressed Size] / [Uncompressed Size] [Compression Ratio in %] [Number of files]

Example: 315.46M / 4.37G [93%] [4094]

The data interpreted as the backup set has 4094 files in the data area; the files compressed and uncompressed sizes are 315.64M and 4.37G respectively; the compression ratio is 93%.

Retention Area

Retention Area**
0 / 0 [0%] [0]
4.12M / 4.12M [0%] [12]
0 / 0 [0%] [0]
0 / 0 [0%] [0]
0 / 0 [0%] [0]
34.12M / 234.07M [86%] [239]

Format:

[Compressed Size] / [Uncompressed Size] [Compression Ratio in %] [Total number of files]

Example: 34.12M / 234.07M [86%] [239]

The data interpreted as the backup set has 239 files in the retention area; the files compressed and uncompressed sizes are 34.12M and 234.07M respectively; the compression ratio is 86%.

Total Upload

Total Upload*
0 [0]
1.19G [183]
4M [20]
181.02M [706]
21.06M [78]
789.86M [683]

Format:

[Compressed Size] [Total number of files]

Example: 4M [20]

There are a total of 20 files sized of 4M uploaded for this backup set.

The Total Upload is computed by adding up all the New Files, New Directories, New Links, Uploaded Files, Attributed Changed Files, Deleted Files, Deleted Directories, Deleted Links and Moved Files.

Total Restore

Total Restore*
0 [0]
612.2M [92]
0 [0]
0 [0]
25.12M [36]
4.48G [1044]

Format:

[Compressed Size] [Total number of files]

Example: 612.2M [92]

There are a total of 92 files sized of 612.2M restored from this backup set.

Effective Policy

NOTE

Effective Policy tab may be hidden depending on the configuration your backup service provider made.

There are 7 tabs containing different groups of policy, and they are described below.

User Settings Tab

You can see the effective policy on user settings for this user on the User Settings tab.

The screenshot shows the 'User Settings' tab selected in the top navigation bar. The left sidebar contains links: User Profile, Backup Set, Settings, Report, Statistics, and Effective Policy (highlighted). The main content area has sub-tabs: Preempted Backup Sets and Mobile Settings. The 'User Settings Related Policies' table is displayed with the following data:

Detail	Value	User Group	Policy
Quota > Quota limits calculation method	Compressed Size	All Users	Default settings
User Quota > Enable	Yes, User Quota Settings: Enabled = true, Mode = Default	All Users	Default settings
User Quota > Value	Destination Quota Settings: DestinationKey=OBS, Enable=true, Quota=52428800, DestinationName=AhsayCBS	All Users	Default settings
Invalid login attempt limit > Maximum number of invalid login attempts allowed within specified period	3 times within 5 mins	All Users	Default settings

At the bottom right of the interface are icons for save, close, and help.

Backup Set Settings Tab

You can see the effective policy on backup set settings for this user on the Backup Set Settings tab.

The screenshot shows the 'Backup Set Settings' tab selected in the top navigation bar. The left sidebar is identical to the previous screenshot, with 'Effective Policy' highlighted. The main content area has sub-tabs: Preempted Backup Sets and Mobile Settings. The 'Backup Set Settings Related Policies' table is displayed with the following data:

Detail	Value	User Group	Policy
Destinations Visible to Users > Standard Destination	Local / Mapped Drive / Removable Drive	All Users	Default settings
Destinations Visible to Users > Standard Destination	Amazon S3	All Users	Default settings
Destinations Visible to Users > Standard Destination	AWS S3 Compatible Cloud Storage	All Users	Default settings
Destinations Visible to Users > Standard Destination	Google Cloud Storage	All Users	Default settings
Destinations Visible to Users > Standard Destination	Google Drive	All Users	Default settings
Destinations Visible to Users > Standard Destination	Destination pool	All Users	Default settings
Destinations Visible to Users > Standard Destination	Microsoft Azure	All Users	Default settings
Destinations Visible to Users > Standard Destination	OneDrive	All Users	Default settings

At the bottom left, the URL '10.23.6.89:60443/cbs/obs/access/user/EditUser.do' is visible. At the bottom right are icons for save, close, and help.

GUI Settings Tab

You can see the effective policy on AhsayOBM or AhsayACB GUI settings for this user on the GUI Settings tab.




User Profile
Backup Set
Settings
Report
Statistics
Effective Policy

User SettingsBackup Set SettingsGUI SettingsDefault ValuesPreempted Values

Preempted Backup SetsMobile Settings

GUI Settings Related Policies

Detail	Value	User Group	Policy
Backup Sets > Add and Remove Backup Set (ONLY applicable to v7.3 - v7.9 client agent)	View=Yes	All Users	Default settings
Backup Sets > General Tab	View=Yes	All Users	Default settings
Backup Sets > General Settings - Name	View=Yes, Edit=Yes	All Users	Default settings
Backup Sets > General Settings - IBM Domino	View=Yes, Edit=Yes	All Users	Default settings
Backup Sets > General Settings - IBM Notes	View=Yes, Edit=Yes	All Users	Default settings



Default Values Tab

You can see the effective policy on default values for this user on the Default Values tab.




User Profile
Backup Set
Settings
Report
Statistics
Effective Policy

User SettingsBackup Set SettingsGUI SettingsDefault ValuesPreempted ValuesPreempted Backup Set

Mobile Settings

Default Values Related Policies

Detail	Value	User Group
General > Name	Applied Module=FILE, Name=default-backup-set-name	All Users
General > Name	Applied Module=Cloud File, Name=default-backup-set-name	All Users
General > Name	Applied Module=Lotus Domino, Name=default-backup-set-name	All Users
General > Name	Applied Module=Lotus Notes, Name=default-backup-set-name	All Users
General > Name	Applied Module=Microsoft Exchange Server, Name=default-backup-set-name	All Users



10.23.6.89:60443/cbs/obs/access/user/EditUser.do

Preempted Values Tab

You can see the effective policy on preempted values for this user on the Preempted Values tab.

The screenshot shows a web application interface with a sidebar on the left containing links: User Profile, Backup Set, Settings, Report, Statistics, and Effective Policy (which is highlighted). The main content area has a top navigation bar with tabs: User Settings, Backup Set Settings, GUI Settings, Default Values, and Preempted Values (which is active). Below this, there are sub-tabs: Preempted Backup Sets and Mobile Settings. The main content area displays a box titled "Preempted Values Related Policies" with the text "No policy defined". At the bottom right of the interface, there are three icons: a green save icon, a red 'X' icon, and a question mark icon.

Preempted Backup Sets Tab

You can see the effective policy on preempted backup sets for this user on the Preempted Backup Sets tab.

The screenshot shows the same web application interface as the previous one, but with the "Preempted Backup Sets" sub-tab selected. The main content area displays a box titled "Preempted Backup Sets Related Policies" with the text "No policy defined". The URL bar at the bottom left shows the address: <https://10.23.6.89:60443/cbs/obs/access/user/EditUser.do#div-tab-878-6>. The same three icons (save, X, and question mark) are present at the bottom right.

Mobile Settings Tab

You can see the effective policy on mobile settings for this user on the Mobile Settings tab.

User Profile

Backup Set

Settings

Report

Statistics

Effective Policy

User SettingsBackup Set SettingsGUI SettingsDefault ValuesPreempted Values

Preempted Backup SetsMobile Settings

Mobile Settings Related Policies

No policy defined

https://10.23.6.89:60443/cbs/obs-access/user/editUserTab1.jsp?jquery=...


X

?

3 Monitoring Live Activities

Managing Live Activities

1. Login to AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).
2. To manage your backup and restore live activities, simply click the Live Activities icon from your AhsayCBS environment.



You can perform the following operations on your own user account:

- View the status of the backup process live or finished within 1 hour
- View the status of the restore process live or finished within 1 hour

NOTE

For both backup and restore activities, there is an update interval of around 5 seconds.

Backup Status

The **Backup Status** tab allows you to monitor the live activities of backup jobs running in both agent-based (AhsayOBM/ AhsayACB/ AhsayMOB) and agentless (AhsayCBS User Web Console) type.

Available Backup Jobs Can Be Monitored by Live Activities			
Backup Type	AhsayOBM	AhsayACB	AhsayMOB
File Backup	✓	✓	✓
Cloud File Backup	✓	✓	NA
IBM Lotus Domino Backup	✓	NA	NA
IBM Lotus Notes Backup	✓	✓	NA

MS Exchange Server Backup	✓	NA	NA
MS Exchange Mail Level Backup	✓	NA	NA
MS SQL Server Backup	✓	NA	NA
MS Windows System Backup	✓	✓	NA
MS Windows System State Backup	✓	NA	NA
MS Hyper-V Backup	✓	NA	NA
MySQL Backup	✓	NA	NA
Office 365 Exchange Online Backup	✓	✓	NA
Oracle Database Server	✓	NA	NA
ShadowProtect System Backup	✓	NA	NA
VMware Backup	✓	NA	NA
Synology NAS Backup	✓	NA	NA
QNAP NAS Backup	✓	NA	NA

The following shows the backup status of a live backup activity.



AhsayCBS

Backup Status

Restore Status

Backup jobs that are currently running or finished within 1 hour.

Backup Status

Login Name (Alias)	Owner	Backup Set	Destination	Progress	Estimated Time Left	Current File	Transfer Rate
 obm.test.brenda ()	--	 backup-set-name-2	[Pre-v7]	<div><div></div></div> 100%	0 sec		0bit/s

X ?


Restore Status

The **Restore Status** tab allows you to monitor the live activities of restore jobs running in both agent-based (AhsayOBM/ AhsayACB/ AhsayOBR/ AhsayMOB) and agentless (AhsayCBS User Web Console) type.

Available Restore Jobs Can Be Monitored by Live Activities					
Restore Type		AhsayOBM	AhsayACB	AhsayOBR	AhsayMOB
File	Normal Restore	✓	✓	✓	✓
	OpenDirect Restore	X	X	X	NA
Cloud File Backup		✓	✓	✓	NA
IBM Lotus Domino Backup		✓	NA	✓	NA
IBM Lotus Notes Backup		✓	✓	✓	NA
MS Exchange Server Backup		✓	NA	✓	NA
MS Exchange Mail Level Backup		✓	NA	✓	NA
MS SQL Server Backup		✓	NA	✓	NA
MS Windows System Backup		✓	✓	✓	NA
MS Windows System State Backup		✓	NA	✓	NA
MS Hyper-V	Normal Restore	✓	NA	✓	NA
	Run Direct Restore	✓	NA	✓	NA
	Granular Restore with AhsayOBM File Explorer	✓	NA	✓	NA
	Granular Restore with Windows File Explorer	X	NA	X	NA
MS SQL Server Backup		✓	NA	✓	NA

MySQL Backup		✓	NA	✓	NA
Office 365 Exchange Online Backup		✓	✓	✓	NA
Oracle Database Server		✓	NA	✓	NA
ShadowProtect System Backup		✓	NA	✓	NA
VMware	Normal Restore	✓	NA	✓	NA
	Run Direct Restore	✓	NA	✓	NA
	Granular Restore with AhsayOBM File Explorer	✓	NA	✓	NA
	Granular Restore with Windows File Explorer	X	NA	X	NA
Synology NAS Backup		✓	NA	NA	NA
QNAP NAS Backup		✓	NA	NA	NA




The following shows the restore status of a live restore activity.

 AhsayCBS

Backup Status
Restore Status

All restore jobs that are currently running or finished within 1 hour.

Restore Status

Login Name (Alias)	Owner	Backup Set	Destination	Progress	Estimated Time Left	Current File	Transfer Rate
 obm.test.brenda ()	--	 backup-set-name-2	 CBS	<div><div></div></div> 100%	0 sec		0bit/s

NOTE

OpenDirect restore of file backup sets or granular restore from VMware and Hyper-V backup sets performed using Windows File Explorer will not show up on the [Restore Status] tab in Live Activities. This only applies to the restore performed directly through AhsayOBM/AhsayACB/AhsayOBR/ AhsayMOB or AhsayCBS User Web Console.


4 Managing Backup Set

Create Backup Set (Generic Steps)


You can use your AhsayCBS user account to create backup sets. In some cases, you may need to create backup sets first before you install a backup client on the client machine.

To add a new backup set, do the following:

1. Login to the AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).
2. Click **User** icon from AhsayCBS environment.




3. Click **+** on the **Manage Backup Set** page.



4. Enter the **Name** of the new backup set and select the backup set type from the **Type** dropdown box. The choices for backup set types are:

- File Backup
- IBM Lotus Domino Backup
- IBM Lotus Notes Backup
- MS Exchange Server Backup
- MS Exchange Mail Level Backup
- MS SQL Server Backup
- MS Hyper-V Backup
- MS Windows System Backup
- MySQL Backup
- Oracle Database Server Backup
- Storage Craft ShadowProtect Backup
- MS Windows System State Backup
- VMware Backup
- Cloud File Backup
- Office 365 Exchange Online Backup

In our example, the new backup set is called default-backup-set-name-2. Click  at the bottom right corner of the screen to continue.

Add New Backup Set

General

Name

Owner

Type

File Backup ▼

File Backup

IBM Lotus Domino Backup

IBM Lotus Notes Backup

MS Exchange Server Backup

MS Exchange Mail Level Backup

MS SQL Server Backup

MS Hyper-V Backup

MS Windows System Backup

MySQL Backup

Oracle Database Server Backup

StorageCraft ShadowProtect Backup


MS Windows System State Backup

VMware Backup

Cloud File Backup

Office 365 Exchange Online Backup

5. Specify the backup source for the new backup set. The content of the Backup Source page differs depending on the backup set type you have chosen. Below is an example of creating a file backup set.


Click  at the bottom right corner of the screen to continue.

Add New Backup Set



Backup Source

Common Files and Folders

- ☐ Desktop
- ☒ Documents
- ☐ Favourites
- ☐ Outlook
- ☐ Outlook Express
- ☐ Windows Mail
- ☐ Windows Live Mail



Apply filters to the backup source 

Other Selected Source





 


☐ Path

Deselected Source


 

☐ Path



   

6. By default the **Run scheduled backup for this backup set** option is enabled. There is already a backup schedule created which is scheduled to run daily at 8pm. This may be edited or you may opt to create a new backup schedule by clicking  in the middle of the screen.

Add New Backup Set





Run scheduled backup for this backup set 


Manage schedule

<input type="checkbox"/> Name	Type
<input type="checkbox"/> Backup Schedule	Daily

Run scheduled backup on computers named

- Enter the information of the new backup schedule you want to add. Click  at the bottom right corner of the screen to continue.

Backup Schedule

Details

Name

Backup-Schedule-1

Type

Daily




Start backup at

08 : 00


Stop

until full backup completed


☐ Run Retention Policy after backup



- The new backup schedule, **Backup-Schedule-1** in our example, can be seen under the **Manage schedule** list.

Click  at the bottom right corner of the screen to continue.

Add New Backup Set

Run scheduled backup for this backup set 





Manage schedule

<input type="checkbox"/>	Name	Type
<input type="checkbox"/>	Backup Schedule	Daily
<input type="checkbox"/>	Backup-Schedule-1	Daily

Run scheduled backup on computers named

*

7. Add a new backup destination for this backup set.

Add New Backup Set

Destination

Backup Mode


Sequential ▾

Predefined Destination

+


🗑


☐ Name

- From the Backup Mode dropdown box, select either **Sequential** or **Concurrent**. In our example, we selected Sequential.
- Add a Predefined Destination set by your backup service provider by clicking  in the middle of the screen.

NOTE

There should be at least one Predefined Destination that had been configured by your backup service provider before you can choose it as the backup destination.

Check the box next to the predefined destination you want, then click  in the bottom right corner of the screen to continue.

Add Predefined Destination				
<input type="checkbox"/>	Name	Destination Storage	Info	Quota
<input checked="" type="checkbox"/>	CBS-1		--	Unlimited

- The new predefined destination, **CBS-1** in our example, can be seen under the **Predefined Destination** list.

Add New Backup Set

Destination

Backup Mode

Sequential ▾

Predefined Destination


+

✖

☐

Name

☐

 CBS-1

←


→

✕

?

NOTE

If you would like to choose other standard destination, you will have to configure in the client backup agent (AhsayOBM/AhsayACB) after you finish creating the backup in AhsayCBS. For instructions on configuring the backup destination on client agent, refer to [Appendix A Setting Backup Destination on AhsayOBM for Backup Created on User Web Console](#).

Click  at the bottom right corner of the screen to continue.

8. Click the checkbox if you want to restore using OpenDirect.

Add New Backup Set

OpenDirect

☐ Support of opening backup data directly without restoration.

When OpenDirect is enabled, to optimize restore performance both compression and encryption will be disabled for this backup set.

Once OpenDirect is enabled and the setting is saved, it cannot be disabled without re-creating the backup set.

←

→

✕

?

9. Enter the Windows User Authentication information. This is needed for backup set with backup schedule and network shared drive selected as backup source. Enter the domain name and user name for AhsayOBM to access the network location.


Add New Backup Set

Windows User Authentication

Domain Name (e.g. mycompany.com) / Host Name

User name




Password



Click  at the bottom right corner of the screen to continue.



10. A new backup set called **default-backup-set-name-2** is created and can be seen in the backup set list.

[User Profile](#)
[Backup Set](#)
[Settings](#)
[Report](#)
[Statistics](#)
[Effective Policy](#)

Manage Backup Set ?



<input type="checkbox"/>	Name	Type	Version	Execute Job
<input type="checkbox"/>	default-backup-set-name-1		--	--
<input type="checkbox"/>	default-backup-set-name-2		--	--



Manage Backup Set

Click the backup set name you want to manage from the **Backup Set** tab. It is sub divided into the following tabs:

- | | | |
|---------------------|--------------------------|-------------------|
| ▶ General | ▶ Source | ▶ Backup Schedule |
| ▶ Continuous Backup | ▶ Destination | ▶ In-File Delta |
| ▶ Retention Policy | ▶ Command Line Tool | ▶ Reminder |
| ▶ Bandwidth Control | ▶ IP Allowed for Restore | ▶ Others |

General

Source

Backup Schedule

Continuous Backup

Destination

In-File Delta

Retention Policy

Command Line Tool

Reminder

Bandwidth Control

IP Allowed for Restore

Others

General

ID
1501661450981

Name

Owner
work12-w12x

Type

Windows User Authentication

Domain Name (e.g. mycompany.com) / Host Name

User name

Password

✓ X ?

Run a Backup Job

Run an Agent-based Backup using AhsayOBM / AhsayACB

Except for Cloud File Backup and Office 365 Exchange Online Backup which you can run an agentless backup in AhsayCBS, all other backup modules require you to perform backup and restore using your client backup agent (AhsayOBM or AhsayACB). For details on creating backup job using the AhsayOBM or AhsayACB, refer to the backup module's User Guide which can be downloaded on the [User's Guide download page](#).

Run an Agentless Backup using AhsayCBS User Web Console (for Cloud File and Office 365 Exchange Online only)

There are two types of backup set, **Cloud File Backup** and **Office 365 Exchange Online Backup**, which can run agentless backup using AhsayCBS user web console. These 2 types of backup set can be created either on the AhsayCBS server, or the AhsayOBM or AhsayACB client and they can be both client-driven and server-driven.

When you create a new backup set with the **Type** being **Cloud File Backup**, you have a choice of whether to run the backup on the **Server** or on the **Client**. Please make sure that you choose **Server** if you want to run the backup from the AhsayCBS server directly.

The screenshot displays the 'General' configuration page for a backup set in the AhsayCBS User Web Console. On the left is a sidebar menu with options: General, Source, Backup Schedule, Continuous Backup, Destination, In-File Delta, Retention Policy, Bandwidth Control, and Others. The 'General' tab is selected. The main content area is titled 'General' and contains the following fields:

- ID:** 1472020202329
- Name:** cloud file-backup-set-brenda-1
- Owner:** -
- Type:** Cloud File Backup

Below the 'General' section is the 'Cloud File Backup' section, which includes:


- Run on:** Radio buttons for 'Server' (selected) and 'Client'.
- Backup From:** A dropdown menu showing 'Google Drive'.
- Refresh:** A button to refresh the 'Backup From' dropdown.

At the bottom right of the console, there is a status bar with three icons: a checkmark (✓), an 'X', and a question mark (?).


Backup Destination for Run-on-Server Backup Set

For **Office 365 Exchange Online Backup** and **Cloud File Backup** sets created in **Run-on-Server** backup type, the backup destination is restricted to AhsayCBS by default and cannot be altered. If you wish to back up to other destinations, backup sets should be created in **Run-on-Client** backup type instead.


1. Login to AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).
2. Click on the **User** icon.



3. Under the **Backup Set > Manage Backup Set** menu, you should see the backup set you have created. If this is the first time you start the user account, you may need to generate a backup set first. Refer to [Create Backup Set](#) for the details about the process of how to create a backup set.



4. Click the drop-down menu on the backup set that you would like to start a backup for. Select **Backup** and then click **Run**.



5. Modify the **In-file Delta type** and **Retention Policy** settings if necessary.

Backup

In-File Delta type


☐ Full

☐ Differential

☒ Incremental

Retention Policy

☐ Run Retention Policy after backup

6. Click the  icon at the bottom right corner to start the backup.
7. You will see the status showing **Backup is Running** when the backup is in progress.

Execute Job

Backup is Running Stop

Restore a Backup (Non Run Direct Restore)

As opposed to [Run Direct Restore](#) where you can instantly restore a VM by running it directly from the backup files in the backup destination. Non Run Direct restore is the traditional type of restore where you can restore the backed up data to the original location or an alternate location based on your choice.

Restore using AhsayOBM / AhsayACB (Agent-based restore)

Except for Cloud File Backup and Office 365 Exchange Online Backup which you can run an agentless restore in AhsayCBS (refer to the steps below), all other backup modules require you to perform restore using your client backup agent (AhsayOBM or AhsayACB).


Restore using AhsayCBS User Web Console (Agentless restore)

For Cloud File and Office 365 Exchange Online Backup only


There are 2 types of backup sets that can be restored through the AhsayCBS User Web Console, **Cloud File Backup** and **Office 365 Exchange Online Backup**, provided that the backup set was created to **Run on Server**.

➤ For Office 365 Exchange Online Restore

1. Login to AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).
2. Click on the **User** icon



3. You should see the backup set you would like to restore under **Backup Set > Manage Backup Set**. Click on the drop-down menu on the backup set you would like to restore, then select **Restore** and click **Run**.



- Select the mail object that you would like to restore. You can also choose to restore backed up mail objects from a specific backup job of your choice using the **Select What to Restore** drop-down menu.

Restore File Explorer


Select What To Restore

Choose from files as of job 2016-09-09 Latest

AhsayCBS

- ahsay.qa@cloudbacko.biz
 - Calendar
 - Hong Kong Public Holidays
 - Vancouver Canucks Full Schedule
 - Inbox
 - Outbox

	File	Size
<input checked="" type="checkbox"/>		2015-08-13 01:03:47
<input checked="" type="checkbox"/>		2015-08-13 01:03:47
<input checked="" type="checkbox"/>		2015-08-13 01:03:47
<input checked="" type="checkbox"/>		2015-08-13 01:03:47
<input checked="" type="checkbox"/>		2015-08-13 01:03:47
<input checked="" type="checkbox"/>		2015-08-13 01:03:47

Click  to proceed when you are done with the selection.

- Select the destination you would like the mail objects to be restored.
 - Original location** – restore mail objects to the original location where you backed them up.

Restore File Explorer

Restore File To

☒ Original location
☐ Alternate location ahsay.qa@cloudbacko.biz

☐ Overwrite file

- Alternate location** - restore mail object to other users' accounts under the same Office 365 account.


Restore File Explorer

Restore File To

☐ Original location
☒ Alternate location

ahsay.qa@ahsay.com
 ahsay.qa@ahsay.com
 board.room.1@ahsay.com
 carven.tsang.02@ahsay.com
 carven.tsang@ahsay.com
 conference.room.1@ahsay.com


☐ Overwrite file

Click  to start the restoration.


- You will see the status showing **Restore is Running** when the restore is in progress.

➤ **For Cloud File Restore**


1. Click on the **User** icon.




2. Select Backup **Set** from the left panel, then select **Restore** under **Execute Job** drop down menu, then click **Run**.



3. Select to restore from a specific backup job, or the latest job available from the **Select What To Restore** drop down menu. Click **Next** to proceed.



4. Select **Original location** to restore the data to the original directory path on the cloud storage, or **Alternate location** to restore to the data to an alternate path on the cloud storage.



Expand the directory path to browse to the alternate location on the cloud storage.

Restore File Explorer

Restore File To

☐ Original location

☒ Alternate location

Google Drive

Ahsay

Backup Source

CloudBacko

Destination

Misc


My Documents

Ronnie

Temporary Store

Important

Data can only be restored to the original cloud storage that the data was backed up from (e.g. same cloud storage provider and same account).

Click  to start the restoration.

5. You will see the status showing **Restore is Running** when the restore is in progress.

5 Run Direct Restore

Introduction

What is Run Direct?

Run Direct is a feature introduced since AhsayOBM version 7.5.0.0 and supported by AhsayCBS since version 7.9.0.0, which helps reduce disruption and downtime of your production VMs.


Unlike normal VM restore procedure where a VM is extracted from backup files and copied to the production storage, which can take hours to complete. Restore with Run Direct can instantly power up a VM by running it directly from the backup files in the backup destination so that the VM can be put into production.

How does Run Direct work?

When a Run Direct restore is performed, the backup destination is mounted as a NFS datastore from the VMware host, where the VM is run directly from the backup files.

The backup destination can either be the AhsayCBS server or a local drive that can connect with AhsayOBM. Initiating a Run Direct from the AhsayCBS (also known as agentless restore) will trigger a connection directly with the VMware host (ESXi server and direction shown in orange indicator below), while initiating the same action on the AhsayOBM requires the connection to route through the AhsayOBM (shown in green indication below).


Run Direct Restore - CBS
server is mounted as NFS
datastore on the Esxi Server



The restored virtual machine, at this stage (e.g. before the restore is finalized) is in a read-only state to preserve its integrity. All changes made to the virtual disks (e.g. operation within the guest virtual machine) are stored separately in transaction logs stored on the NFS datastore or the original datastore, depending on the setting selected. These changes are discarded when Run Direct is stopped, where the restored VM will be removed and all changes will be discarded, or the changes will be consolidated with the original virtual machine data when the restore is finalized.

Finalizing a VM Recovery (Migrating VM to permanent location)

To finalize recovery of a VM, you will still need to migrate it to a permanent location on the VMware host. The following steps are taken when you finalize a Run Direct restore:



NOTE

For vCenter VM backup set, provided that the vMotion feature of the vCenter set is working properly, the VM will not be suspended during the data consolidation.

Non Run Direct Restore

Run Direct restore gives you the convenience of quickly restoring the VM by running it directly from the backup files in the backup destination, however, if you wish to restore the VM permanently to a location of your choice first before accessing the backup files, you should perform a Non Run Direct restore instead. Refer to [Restoring a Backup \(Non Run Direct Restore\)](#) for instructions.

Run Direct Requirements & Best Practices

To utilize the Run Direct feature, ensure that the following requirements are met:

1 Backup Destination Requirement

When a Run Direct restore is performed, the backup destination containing the guest VM files is mounted on the VMware host as NFS datastore.

Ensure that the following requirements are met by the backup destination of the VMware VM backup set:

- **Destination Type** of the backup destination must be set to a **Single storage destination**.
- Destination must be accessible to the VMWare host.
- Destination must have sufficient disk space available for the Run Direct restore. There should be 1.5 x total provisioned size of all VMs selected for backup.
- For Run Direct restore of 1 VM with provisioned size of 100GB, there should be 150GB (e.g. 1.5 x 100GB) of free space available in the Destination.

2 No compression and Encryption

Data backed up to a Run Direct enabled destination is not compressed or encrypted to optimize restore performance as Run Direct will make the VM restored by running the data directly from the backup files in the backup destination.

3 Restore to Alternate Location

- When performing a Run Direct restore to **Alternate Location**, only one VM can be selected per restore session.
- Consider to create separate VMware VM backup set for each VM that you intend perform Run Direct restore (e.g. VMs that you may restore to alternate location).

Run Direct Restore Options

Run Direct restore gives you the convenience and flexibility of quickly restoring the VM by running it directly from the backup files in the backup destination, however, you may still wish to migrate the VM permanently afterward. There are 3 Run Direct Restore options you can choose from as explained below.

1 Option 1: Perform Run Direct Only

This option allows you to power up the VM instantly by running it directly from the backup files but it won't be migrated to any permanent location on VMware host. Leave the **Auto migrate after Run Direct is running** checkbox unchecked in step 6 under [Performing a Run Direct Restore on VM](#) below if you wish to go for this option.

2 Option 2: Perform Run Direct + Auto Migration

This option allows you to power up the VM instantly by running it directly from the backup files. While you can now access the Run Direct restored VM, it will also be migrated automatically to a permanent location on the original VMware host, another datastore of the original VMware host or another VMware host. Make sure the **Auto migrate after Run Direct is running** checkbox is checked in step 6 under [Performing a Run Direct Restore on VM](#) below if you wish to go for this option.

• Option 3: Perform Run Direct + Manual Migration

This option allows you to power up the VM instantly by running it directly from the backup files. While you can now access the Run Direct restored VM, you will have to manually migrate the VM to a permanent location on the original VMware host, another datastore of the original VMware host or another VMware host. Leave the **Auto migrate after Run Direct is running** checkbox unchecked in step 6 under [Performing a Run Direct Restore on VM](#) below if you wish to go for this option. When the Run Direct restore is completed, you can initiate a Manual Migration any time. Refer to step 8 below for relevant instructions.

NOTE

If perform Run Direct only without migration, any changes made to the VM during the Run Direct power up process will be lost when the VM is powered down.

If perform Run Direct with auto or manual migration, any changes made to the VM during the Run Direct power up process will be consolidated with the original virtual machine data once the migration has been completed successfully.

Performing a Run Direct Restore on VM

1. Login to AhsayCBS user web console according to the instruction provided in section [Logging on to AhsayCBS User Web Console](#).

NOTE


Before you can start Run Direct, you must have a VMware backup set created in the AhsayOBM client. Please refer to the [Ahsay Online Backup Manager v7 VMware vCenter/ESXi Backup & Restore Guide](#) for information on how to create the backup set.

In addition, you must also run a successful backup on the VMware backup set before you can perform restore from Run Direct.


2. Click the **VM Run Direct** icon from your AhsayCBS environment.



3. Click **+** from the **Run Direct** page to start a new Run Direct session.



4. Select the **Backup Set** from the dropdown box of VMware backup set you have created. In our example, the backup set is called **vCenter-6-NIX-CBS**. Click **➔** to continue.



5. Select the backup job to restore from the **Restore file of job** dropdown box. In our example, there are two virtual machines. Check the box next to the one on which we will perform a restore, **EW-freedom_VHW11(OBMRestore)**.

Start Run Direct

Restore file of job 2016-08-23-17-38-44 ▼

- vcenter03-v6.vSphere.local
 - Datacenter_01
 - Hosts and Clusters
 - vesxi6-01.vsphere.local
 - ☒ EW-freedom_vHW11(OBMRestore)
 - ☐ EW-Lubuntu12x-(OBMRestore)

6. Select the location to restore your virtual machine. They are found under **Restore virtual machine to** on the **Start Run Direct** page.

- Select **Original Location** to restore the VM to its original EXSi host and datastore.

Start Run Direct

Restore virtual machines to

☒ Original Location

☐ Alternate Location

- Select **Alternate Location** to restore the VM to a different VMware host and a different datastore. Alternatively, you can also restore to the same VMware host but to a different datastore.

NOTE

If you select **Alternate Location**, you will see an additional option **Overwrite existing files**

Start Run Direct

Restore virtual machines to

☐ Original Location

☒ Alternate Location

- If you selected **Alternate Location**, you need to enter the VMware host and access information of where you would like the VM to be restored to.
- For restoration to another VMware ESXi host, select **VMware vCenter 4 / 5 / 5.5 / 6** as **Version**, then enter the **Username**, **Password**, **Host**, and **Port** of the new host.

Start Run Direct

VMware Host

Version
VMware vCenter 4 / 5 / 5.5 / 6 ▼

Username
Administrator

Password

Host
10.82.8.25

Port
443

- Select the **Name**, **Inventory Location**, **Host/Cluster**, **Resource Pool**, and **Storage** for the alternate location.

Start Run Direct

Name
New Virtual Machine

Inventory Location
Datacenter_01 Browse

Host / Cluster
vesxi6-01.vsphere.local Browse

Resource Pool
vesxi6-01.vsphere.local Browse

Storage
Datastore-SHR01 Browse

7. Configure the following options according to your restore requirements.

Start Run Direct

Restore virtual machines to
☐ Original Location
☒ Alternate Location

☐ Auto migrate after Run Direct is running
☒ Auto power on after Run Direct is running
☒ Use existing storage as VM working directory to improve performance
☒ Overwrite existing files

- **Auto migrate after Run Direct is running**

Select this option if you want to auto migrate the virtual machine to a permanent location on the original VMware host, another VMware host, or same VMware host but another datastore, depending on whether you have chosen **Original Location** or **Alternate Location** to restore your VM.

- **Auto power on after Run Direct is running**


Select this option to power up the virtual machine automatically, after Run Direct is running for the VM.

- **Use exiting storage as VM working directory to improve performance**



Select this option to enhance performance of the restored VM.

- **Overwrite existing files** (Alternate Location only)



Select this option to overwrite existing files when restoring to a different VMware host or a different datastore.

Click  to proceed when you are done with the settings.

- The **Run Direct** page appears, showing the status message of the Run Direct restore job.

Run Direct							
							
<input type="checkbox"/> Running	Backup Set	Host	Name	Progress	Start time	Message	
<input type="checkbox"/> No	vCenter-6-NIX-CBS	10.82.8.25	Datacenter_01/New Virtual Machine		2016-09-06 16:38:09	Mount datastore "cbs-RunDirectf..."	

If your Run Direct is successful, you get a message similar to the following, with Status showing OK and Progress showing 100%.

Run Direct								
								
<input type="checkbox"/> Running	Backup Set	Host	Name	Progress	Start time	Message	Status	Migrate
<input type="checkbox"/> Yes	vCenter-6-NIX-CBS	10.82.8.25	Datacenter_01/New Virtual Machine	<div><div></div></div> 100%	2016-09-06 16:38:09		OK	Migrate

Restore log messages on AhsayCBS

Click on the item on the Run Direct page.

Timestamp	Type	Message
2016-09-06 04:38:13	info	Preparing for Run Direct...
2016-09-06 04:38:32	info	Mount datastore "cbs-RunDirectf..."
2016-09-06 04:38:33	info	Adding virtual machine "New Virtual Machine" to the inventory...
2016-09-06 04:38:41	info	Taking snapshot "__snapshot_for_publish__" of virtual machine "New Virtual Machine"...
2016-09-06 04:38:49	info	Please do not Edit, Remove or Revert any existing snapshot before migration is completed.
2016-09-06 04:38:49	info	Restore Completed Successfully

Restore log messages on the VMware vSphere Client

Open your VMware vSphere Client and you will see the following messages from the Recent Tasks section.

Recent Tasks							
Name	Target	Status	Details	Initiated by	Requested Start Time	Start Time	
Power On virtual machine	freedoss v11	Completed		root	9/26/2016 7:16:46 PM	9/26/2016 7:16:46 ...	
Create virtual machine snapsh...	freedoss v11	Completed		root	9/26/2016 7:16:38 PM	9/26/2016 7:16:38 ...	
Register virtual machine	10.22.8.29	Completed		root	9/26/2016 7:16:37 PM	9/26/2016 7:16:37 ...	
Create NAS datastore	10.22.8.29	Completed		root	9/26/2016 7:16:36 PM	9/26/2016 7:16:36 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:35 PM	9/26/2016 7:16:35 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:35 PM	9/26/2016 7:16:35 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:34 PM	9/26/2016 7:16:34 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:34 PM	9/26/2016 7:16:34 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:30 PM	9/26/2016 7:16:30 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:30 PM	9/26/2016 7:16:30 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:30 PM	9/26/2016 7:16:30 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:30 PM	9/26/2016 7:16:30 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:30 PM	9/26/2016 7:16:30 ...	
Find entity by inventory path		Completed		root	9/26/2016 7:16:29 PM	9/26/2016 7:16:29 ...	
Remove datastore	cbs-RunDirect	Completed		root	9/26/2016 7:12:34 PM	9/26/2016 7:12:34 ...	
Unregister virtual machine	freedoss v11	Completed		root	9/26/2016 7:12:34 PM	9/26/2016 7:12:34 ...	
Power Off virtual machine	freedoss v11	Completed		root	9/26/2016 7:12:28 PM	9/26/2016 7:12:28 ...	

9. If you did not enable the **Auto Migrate after Run Direct is running** option in step 6, but still wish to migrate VM to a permanent location of your choice, click on the **Migrate** button as shown.



Run Direct							
<input type="checkbox"/>	Running	Backup Set	Host	Name	Progress	Start time	Message
<input type="checkbox"/> No		vCenter-6-NIX-CBS	10.82.8.25	Datacenter_01/New Virtual Machine	<div><div style="width: 43%;">43%</div></div>	2016-09-06 16:38:09	Migrating...Relocate virtual machine "New Virtual Machine"

If your migration is successful, you get a message similar to the following.

Run Direct							
<input type="checkbox"/>	Running	Backup Set	Host	Name	Progress		
<input type="checkbox"/> No		Run Direct 1	10.22.8.29	freedoss v11	<div><div style="width: 100%;">100%</div></div>		

Restore log messages on AhsayCBS

Click on the restore item on the Run Direct page to see the restore log messages.

6 Contacting Ahsay

Technical Assistance

To contact Ahsay support representatives for technical assistance, visit the following website:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Also use the Ahsay Knowledge Base for resource such as Hardware Compatibility List, Software Compatibility List, and other product information:

<http://wiki.ahsay.com/doku.php?id=public:home>

Documentation

Documentations for all Ahsay products are available at:

https://www.ahsay.com/jsp/en/home/index.jsp?pageContentKey=ahsay_downloads_documentation_guides

You can send us suggestions for improvements or report on issues in the documentation, by contacting us at:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Please specify the specific document title as well as the change required/suggestion when contacting us.

Appendix

Appendix A Set Backup Destination on AhsayOBM for Backup Sets Created on AhsayCBS User Web Console


You need to read the instructions below only if you:

- Have created a backup set on AhsayCBS User Web Console; **AND**
- Selected the backup set to Run on Client (if you are running Office 365 Exchange Online and Cloud File Backup Set); **AND**
- Have not selected any Predefined Destination in the backup creation process on the AhsayCBS User Web Console

-OR-

Have selected a Predefined Destination in the backup creation process on AhsayCBS User Web Console but wish to add additional backup destination other than the predefined destination


1. Login to AhsayOBM with user account **Login name** and **Password**.




2. Click the **Backup Sets** button to open the backup sets.




3. Select the backup set you want. In our example, the backup set is called **default-backup-set-name-2**.




4. The General page of the backup set opens.




5. Go to the **Destination** page. You can add extra storage destinations here. Click the **Add** button.



6. Add a new destination on the New Storage Destination / Destination Pool. Select the **Destination storage** from the dropdown list. In our example, it is **Google Drive**.



7. The new storage destination, **GoogleDrive-1**, can be seen on the Destination page.



8. Click on **Save** to save the modification.